

VWR International GmbH
Lerzenstrasse 16/18
8953 Dietikon
t +41 44 745 13 13

Date: 13.01.2023

FA-2022-000146 - Product Recall - VWRQFOR0020AF59001 Formalin – FOLLOW UP

Dear Customer,

We have been made aware of a potential quality issue relating to the following product and batch.
A Field Action FA-2022-000146 has been initiated.

Part Number	Lot	Description
VWRQFOR0020AF59001	<u>220707C003</u>	FORMALINE 10% QPATH® 5ML IN 20CC POT.

As a result, we request that you **immediately quarantine** any stock of the above listed lot.

please note: In November 2022, you were sent such a letter for the same batch. Due to the new situation with further affected packages, the attached form has to be completed and returned as well. Thank you for your understanding.

Please complete and return the attached acknowledgement form by **17th January 2023** to confirm your understanding of this notification.

Please accept our apologies for any inconvenience caused as a result of this occurrence. If any further information is required, please do not hesitate to contact urs.kropf@avantorsciences.com.

The relevant Regulatory Authorities have been informed of this matter.

Yours sincerely,

Kontakt : Urs Kropf
Tel : +41 (0) 44 745 1388
E-Mail : urs.kropf@avantorsciences.com



FOLLOW UP RESPONSE FORM

FOLLOW UP!

Field Safety Notice FA-2022-000146 - VWRQFOR0020AF59001 - FORMALINE 10% QPATH® 5ML 20CC POT

- Please fill out the details below & email back to us **before 17th January 2023**. Thank you!
- Return this form by e-mail to: productalert.handling@vwr.com

Concerned Product: VWRQFOR0020AF59001 - FORMALINE 10% QPATH® 5ML 20CC POT

Lot Nr: 220707C003

Please note:

In November 2022, you were sent such a form for the same batch. Due to the new situation with further affected packages, this second form must also be completed and returned.

Thank you for your understanding.

Hereby we confirm to have checked our products and (*)

- We confirm **all the above listed stock was quarantined and not used. We will dispose of the stock and provide a certificate of disposal and request a full credit.**

Concerned Article	Description	Lot Number	Quantity disposed (*)
VWRQFOR0020AF59001	FORMALINE 10% QPATH® 5ML 20CC POT	220707C003	

- We confirm **some of the above listed stock was used. We have assessed the impact of this non-conformity against our application. We will dispose of the remaining stock and provide a certificate of disposal and request a full credit.**

Concerned Article	Description	Lot Number	Quantity Used (*)	Quantity Disposed (*)
VWRQFOR0020AF59001	FORMALINE 10% QPATH® 5ML 20CC POT	220707C003		

Customer Number	
Customer Name	
Department:	
Contact name:	
Telephone:	
E-mail:	
Collection Address:	
Postal code:	
City:	
Country:	

I, the undersigned, hereby confirm that I have been informed about the non-conformity of the above-mentioned products.

In the event of failure to comply with the instructions, any usage of the faulty lot shall be the sole responsibility and liability of the user.

(*) These fields are mandatory to process the claim faster.

Name/Function	Function	Signature	Date